

Speed Post

No. DGT-12/1/2018-TC (Part)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 7th August, 2019

To

The State Directors,
(Andaman & Nicobar Island, Andhra Pradesh, Assam, Bihar, Chandigarh, Delhi, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Lakshadweep, Meghalaya, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Tamil Nadu, Uttarakhand, Tripura, Uttar Pradesh, West Bengal,) dealing with craftsman Training scheme.


Subject: Affiliation of Units/Trades of Govt. /Pvt. ITIs with NCVT.

Sir,

The proposals of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from the respective State Government. These were scrutinized and put up before the members of the Recommendation Committee of Directorate General of Training (DGT) dealing with affiliation of ITIs in its meeting held on 31st July, 2019 at DGT, MSDE, New Delhi for its consideration and approval.

2. The Recommendation Committee of DGT examined affiliation proposals and accorded approval to the proposals conforming to the NCVT Norms, as per the list enclosed herewith.
3. The affiliation of the trade(s)/unit(s) stated above are further subjected to,
 - Periodic verification.
 - The ITI must comply with NCVT norms/guidelines issued from time to time.
 - ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. In case of any discrepancy observed in the affiliation order, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours Sincerely



(Sunil Kr. Gupta)
Director of Training

Copy along with enclosures for information to:

1. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File
3. All Concerned Institutes.



(Ravi Chilukoti)
Joint Director of Training



Skill India

DGT-12/1/2018-TC



STATE: Bihar

Dated: 31/07/2019

Total -50 (New-9/Old-41)

Affiliation of Trade/Units with NCVT

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	Remarks
13.	Dr. Shri Krishna Singh Pvt. ITI, Saket More, Barbigha, Sheikhpura, Bihar- 811101	PR10000936	Existing	Electrician Fitter	N.R. Addl. 2(1+1+0))	N.R. Addl. 2(1+1+0) Total 4(2+2+0)	w.e.f. August 2019 NR Due to shortage in TE for Electrician
14.	Vijaya Pvt. ITI, Jadhua Checkpost Hajipur, Vaishali, Bihar- 844101	PU10000893	Existing	Electrician Surveyor	Addl. 8(4+4+0) 2(1+1+0)	Addl. 8(4+4+0) - Total 12(6+6+0) 2(1+1+0)	w.e.f. August 2019
15.	New Adarsh Pvt. ITI, Ghorhat more, Vill-Madanpur, PO-Madanpur, Distt.- Aurangabad, Bihar- 824208	PR10000629	Existing	Fitter	4(2+2+0)	4(2+2+0)	w.e.f. August 2019
16.	Anandi Pvt. ITI, Adamapur, PO-Karwandiya, PS-Sasaram, Distt. - Rohtas, Bihar- 821305	PR10000004	Existing	Fitter	2(1+1+0)	2(1+1+0)	w.e.f. August 2019
17.	Safdar Hashmi Pvt. ITI, At- Balua tall, Motihari, East Champaran, Bihar- 845401	PR10000071	Existing	Electrician	Addl. 16(8+8+0)	Addl. 2(1+1+0) Total 16(8+8+0)	w.e.f. August 2019 #
18.	Raghunandan Sinha Pvt. ITI, At- Godiha, PO-Koshdihara, PS-Parasbigha, Distt.- Jehanabad, Bihar- 804408	PR10000967	Existing	Electrician	Addl. 8(4+4+0)	Addl. 8(4+4+0) Total 12(6+6+0)	w.e.f. August 2019 Units reduced due to shortage in Workshop

50/8/19

Shrikant

NOTE:- Within 2 months ITI should rectify the deficiencies and get inspected for remaining not recommended trades.

As per the decision taken in 6th Recommendation Committee meeting, affiliation for units more than 8 per shift will be granted after verification by a team during 3rd week of August 2019.

STATE: Bihar



DATED:15/05/2014

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	QCI	Approval by Sub-Committee of NCVT		
18 Shilpi Private ITI, At. Hariharpur, P.O. Bela, P.S. Darlyapur, Dist. Saran Bihar DGET-6/4/3/2014-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	Assessment-18/10/2013 w.e.f. Aug 2014	
19 New Adarsh Private ITI, Madanpur, Dist. Aurangabad Bihar DGET-6/4/20/2014-TC (New Pvt.)	Electrician	12(6+6)	12(6+6)	12(6+6)	Assessment-23/01/2014 w.e.f. Aug 2014	
20 Prabhat Private ITI, Mangarh, Dharhara, Dist. Munger Bihar DGET-6/4/14/2014-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	Assessment-01/02/2014 w.e.f. Aug 2014	
21 Shashi Memorial Private ITI, Bye Pass Road, Rampadarath Nagar, Tehsil. Dumra, Dist. Sitamarhi Bihar DGET-6/4/18/2014-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	Assessment-16/12/2013 *1. Dimensions on plan/layout are not clear. 2. Meter sealing report/latest electricity bill is needed to verify the connected load. The NCVT Sub-Committee authorizes the Chairman to take appropriate decision on receipt of relevant information from QCI.	

-5-